



TiMESH™ Technical Data Sheet


- **Product description:** titanized soft tissue reinforcement implant for hernia repair
- **Material:** polypropylene with covalent bonded titanized surface
- **Layer thickness of titanization:** approx. 30–50 nm
- **Fabric:** knitted out of monofilament fibres
- **Edges:** laser-cut, rounded





Extralight 16 g/m²



Light 35 g/m²



Strong 65 g/m²



	Extralight	Light	Strong
• Weight:	16 g/m ²	35 g/m ²	65 g/m ²
• Thickness: (DIN EN ISO 5084)	0.20 mm	0.30 mm	0.45 mm
• Pore Size:	> 1 mm	> 1 mm	> 1 mm
• Filament Diameter:	30 dtex (65 µm)	58 dtex (90 µm)	103 dtex (120 µm)
• Porosity 2D:	73%	61 %	53 %
• Porosity 3D:	91%	87 %	82 %
• Physiological Elasticity at 16 N:	34 %	21 %	17 %
• Physiological elasticity at 32 N:	–	38 %	29 %
• Tensile strength (Ball Burst Test):	26 N/cm	47 N/cm	62 N/cm
• Sizes: (a x b)	100 x 150 150 x 150 150 x 200	100 x 150 150 x 150 150 x 200 300 x 300	100 x 150 150 x 150 150 x 200 300 x 300

Exclusive Distributor: Biomet Biologics

Manufactured by:

Certified by: ISO 13485 : 2003

GfE Medizintechnik GmbH

Hoefener Strasse 45 · 90431 Nuremberg, Germany

Phone: +49 (0)911 9315-601 · Fax +49 (0)911 9315-650

info@gfe-medical.com · www.gfe-medical.com

All trademarks herein are the property of Biomet, Inc. or its subsidiaries unless otherwise indicated.

This material is intended for the sole use and benefit of the Biomet Biologics sales force and physicians. It is not to be redistributed, duplicated or disclosed without the express written consent of Biomet.

For product information, including surgical techniques, indications, contraindications, warnings, precautions and potential adverse effects, see the Biomet Biologics website at www.biometbiologics.com.



One Surgeon. One Patient.™

P.O. Box 587, Warsaw, IN 46581-0587 • 800.348.9500 x 1501

©2009 Biomet Orthopedics • www.biomet.com

Form No. BBI0025.0 • REV093009